ELSEVIER

Fluid Phase Equilibria 131 (1997) 317–318

FLUID PHASE EQUILIBRIA

Contents of Volume 131 (1997)

Vol. 131, Nos. 1–2

Equilibrium properties: Theoretical papers

Molecular dynamics simulations and integral equations studies of model systems for aqueous mixtures of small alcohols
B. Kvamme (Porsgrunn, Norway) 1–20

Solubility parameter revisited: an equation-of-state approach for its estimation
C. Panayiotou (Thessaloniki, Greece) 21–35

A new G^E-mixing-rule using the Dohrn–Prausnitz equation of state for the prediction of phase equilibria of nonideal mixtures
I. Reiß, A. Schleußinger, S. Schulz and C. Berti (Dortmund, Germany) 37–49

Molecular simulation of the vapor–liquid equilibrium of methanethiol + propane mixtures
R. Agrawal and E.P. Wallis (Bartlesville, OK, USA) 51–65

A molecular theory of Setchenov's salting-out principle and applications in mixed-solvent electrolyte solutions
L.L. Lee (Norman, OK, USA) 67–82

Monte Carlo simulation for solubility and spatial structure of fatty acid and higher alcohol in supercritical carbon dioxide with octane
Y. Koga, Y. Iwai, M. Yamamoto and Y. Arai (Fukuoka, Japan) 83–96

A saturated liquid density equation for refrigerants
G.A. Iglesias-Silva (Guanajuato, México) and K.R. Hall (College Station, TX, USA) 97–105

Prediction of the solubility and gas–liquid equilibria for gas–water and light hydrocarbon–water systems at high temperatures and pressures with a group contribution equation of state
J. Li (Beijing, China), I. Vanderbeken, S. Ye, H. Carrier and P. Xans (Pau, France) 107–118

Equilibrium properties: Experimental papers

Predicting calorimetric properties using the original and the modified simplified-perturbed-hard-chain theory equations of state
K.S. Chunangad, K.H. Row, R.L. Robinson, Jr. and K.A.M. Gasem (Stillwater, OK, USA) 119–132

Excess enthalpies of (*n*-heptane or *n*-decane) + methyl *tert*-butyl ether + di-*n*-propyl ether ternary mixtures at 298.15 K
D. Liao, Z. Tong, G.C. Benson and B.C.-Y. Lu (Ottawa, Ont., Canada) 133–143

Measuring methods of infinite dilution activity coefficients and a database for systems including water
K. Kojima (Tokyo, Japan), S. Zhang and T. Hiaki (Chiba, Japan) 145–179

Vapor–liquid equilibria of the ternary system methanol + acetone + methyl vinyl ketone at atmospheric pressure
C.-H. Tu, Y.-S. Wu and T.-L. Liu (Taichung, Taiwan) 181–188

Isopiestic determination of osmotic coefficients and evaluation of activity coefficients of aqueous mixtures of sodium and potassium chloride at 45°C
M.A. Flesia (Santa Fe, Argentina), M.R. Gennero de Chialvo and A.C. Chialvo (Taichung, Taiwan) 189–196

Excess thermodynamic properties of binary mixtures of ethyl formate with benzene, ethanol, and 2,2,2-trifluoroethan-1-ol at 298.15 K
J. Hu, K. Tamura and S. Murakami (Osaka, Japan) 197–212

Distribution of binary mixtures of citric, acetic and oxalic acid between water and organic solutions of tri-*n*-octylamine. Part I. Organic solvent toluene
T. Kirsch and G. Maurer (Kaiserslautern, Germany) 213–231

Experimental pressure–volume–temperature data and an equation of state for trifluoroiodomethane (CF_3I) in gaseous phase
Y.-Y. Duan, M.-S. Zhu, L. Shi and L.-Z. Han (Beijing, China) 233–241

Densities and P–x–y diagrams for carbon dioxide dissolution in methanol, ethanol, and acetone mixtures
C.J. Chang, C.-Y. Day, C.-M. Ko and K.-L. Chiu (Taichung, People's Republic of China) 243–258
Isobaric vapor–liquid equilibria of chloroform + ethanol and chloroform + ethanol + calcium chloride at 94.0 kPa
N.A. Darwish and Z.A. Al-Anber (Irbid, Jordan) 259–267
Contribution to the determination of the solubility of β-carotene in supercritical carbon dioxide and nitrous oxide: experimental data and modeling
P. Subra, S. Castellani, H. Ksibi (Villetaneuse, France) and Y. Garrabos (Pessac, France) 269–286
Vapor–liquid equilibrium measurements and data analysis of tert-butanol–isobutanol and tert-butanol–water binaries at 94.9 kPa
N.A. Darwish and Z.A. Al-Anber (Irbid, Jordan) 287–295
Dissolution of methane in water at low temperatures and intermediate pressures
K. Lekvam (Stavanger, Norway) and P.R. Bishnoi (Calgary, Alta., Canada) 297–309

Erratum
Erratum to "Isothermal vapour–liquid equilibria for binary systems of chloroalkanes with heptane, toluene and methylcyclohexane at 323.15 and 333.15 K" [Fluid Phase Equilibria, 124 (1996) 137–148]
O. Dahmani, I. Wichterle (Prague, Czech Republic) and A. Ait-Kaci (Alger, Algeria) 311

Subject index 313

Author index 315

Contents of Volume 317–318